

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11498	client\$1 and server\$1 and ((proxy router intermediate switch) near (device computer node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:26
L2	4120	((device computer node) with (queue\$1) with (communication\$1 session \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:27
L3	69	1 and ((proxy switch router intermediate) with (queue\$1) with (communication\$1 session \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:27
L4	6	3 and ((client\$1 server\$1) with (request\$4 command \$4 transmit\$4 send\$4) same (proxy switch router intermediate) same http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:29
L5	2	4 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:30
L6	8	3 and ((client\$1 server\$1) same (request\$4 command\$4 transmit\$4 send\$4) same (proxy switch router intermediate) same http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:37
L7	3	6 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:37

L8	8	1 and ((proxy switch router intermediate) same (creat\$4 assign\$5) same ((communication\$1 session\$1) near1 (identifier\$1 identification \$1 index\$2 id\$1)) same queue\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:49
L9	5	8 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:49
L10	48	1 and ((proxy intermediate) same (creat \$4 assign\$5) same ((communication\$1 session\$1) near1 (identifier\$1 identification \$1 index\$2 id\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:51
L11	569	1 and ((proxy intermediate) same queue \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:51
L12	6	10 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:51
L13	0	12 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:51
L14	59085	client\$1 and server\$1 and (proxy intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:52
L15	189	14 and ((proxy intermediate) same (creat \$4 assign\$5) same ((communication\$1 session\$1) near1 (identifier\$1 identification \$1 index\$2 id\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:52

L16	14	15 and ((proxy intermediate) same queue \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:53
L17	3	16 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:53
L18	87	15 and ((proxy intermediate) same (queue \$1 stack\$1 table\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 16:59
L19	24	18 and @ad<"20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 17:00
L20	20	19 and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 17:00
L21	13	20 and ((client\$1 server \$1) with (request\$4 command\$4 transmit\$4 send\$4) same (proxy switch router intermediate) same http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 17:01

2/ 9/ 2009 5:16:10 PM